

WHO Library Cataloguing-in-Publication Data

Selected practice recommendations for contraceptive use.

1.Contraception - methods 2.Contraceptive agents, Female 3.Contraceptives, Oral, Hormonal 4.Intrauterine devices 5.Rhythm method 6.Evidence-based medicine 7.Practice guidelines I.World Health Organization. Dept. of Reproductive Health and Research II.Technical Meeting to Develop Consensus on Evidence-Based Guidelines for Family Planning and to Review the Decision-Making Tool of the Essential Care Practice Guide (2002 : London, United Kingdom)

ISBN 92 4 154566 6

(NLM classification: WP 630)

The World Health Organization welcomes requests for permission to reproduce or translate its publications, in part or in full. Applications and enquiries should be addressed to the Office of Publications, World Health Organization, CH-1211 Geneva 27, Switzerland, which will be glad to provide the latest information on any changes made to the text, plans for new editions, and reprints and translations already available.

© World Health Organization 2002

Publications of the World Health Organization enjoy copyright protection in accordance with the provisions of Protocol 2 of the Universal Copyright Convention. All rights reserved.

The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of the Secretariat of the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by the World Health Organization in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

Acknowledgements

This document is the result of collaboration between the World Health Organization's Department of Reproductive Health and Research and a large number of international agencies and organizations active in the field of family planning policies and programmes. The International Planned Parenthood Federation (IPPF) and its International Medical Advisory Panel provided strong support for the meeting held in London, October 2001 at IPPF Headquarters. Additional contributions were made by the following: Centers for Disease Control and Prevention (CDC); EngenderHealth; Family Health International (FHI); Georgetown University Medical Center; Johns Hopkins University Center for Communication Programs; Johns Hopkins Program for International Education in Gynecology and Obstetrics (JHPIEGO); US National Institute of Child Health and Human Development; Program for International Training in Health (Intrah); and the United Nations Population Fund (UNFPA).

Representatives of these agencies and organizations, together with other individuals, served as experts at the London meeting that achieved consensus on selected practice recommendations for contraceptive use. We would like to express our deep appreciation to all of them for contributing their time and expertise towards the consensus-building process.

The evidence on which the decisions in this document were based was in large part obtained from a systematic review of the literature conducted and summarized by Dr KM Curtis and Ms CE Chrisman, who also provided substantial support to Secretariat. Mr W Rinehart and Dr L Potter likewise provided major support to Secretariat. Dr H Peterson was overall coordinator of the project for the WHO Secretariat, which included Ms S Johnson, Ms G Lamptey, and Ms K Church. Ms C Hamill, who also contributed substantially to the London meeting, was responsible for the design and layout of the document. Ms M Ní Mhearáin was responsible for the cover design. We would like to express our deep appreciation to these individuals as well as to Drs C Huezo, J Shelton and L Edouard for their strong support of this endeavour.

Financial support towards the preparation and production of this document was provided by the Government of the United States of America (through the US Agency for International Development and the National Institute of Child Health and Human Development) and the United Nations Population Fund and is gratefully acknowledged.

For any further information on this document, please contact the Department of Reproductive Health and Research, World Health Organization, 1211 Geneva 27, Switzerland. Direct fax: + 41 22 791 4189; e-mail: reproductivehealth@who.int

Further copies may be obtained from: Documentation Centre, Department of Reproductive Health and Research, World Health Organization, 1211 Geneva 27, Switzerland. Direct fax: + 41 22 791 4189; telephone: + 41 22 791 4447; e-mail: rhrpublications@who.int. The document is also available through WHO's reproductive health web site at www.who.int/reproductive-health. Any updates of the information contained in this document will appear in the first instance on this web site.

List of abbreviations

COC	Combined oral contraceptive
CIC	Combined injectable contraceptive
DMPA	Depot medroxyprogesterone acetate
ECP	Emergency contraceptive pill
HIV	Human immunodeficiency virus
IPPF	International Planned Parenthood Federation
IUD	Intrauterine device
NET-EN	Norethisterone enantate
NSAID	Non-steroidal anti-inflammatory drug
PID	Pelvic inflammatory disease
POI	Progestogen-only injectable
POP	Progestogen-only pill
STI	Sexually transmitted infection
WHO	World Health Organization
